## ogl4 lh3 350 927 l2 27052025





#### **Product features**

The in-ground light line OGL4 LH3 made of V4A stainless steel is more than just a simple orientation light. Thanks to the direct connection to the mains voltage and compatibility with standard dimmers, this light impresses with its minimal space requirement and low installation effort. OGL4 is a minimalist lighting solution for designing outdoor spaces and public spaces. Barely visible housing parts make the light almost invisible during the day. At night, the modules can be controlled individually, thus enabling different lighting scenarios and dramaturgy. The vandalism-proof housing made of stainless steel V4A and end caps made of metal substitute materials allows maximum loads and guarantees simple, tool-free maintenance.

### **Technical specifications**

Protection class

IP68 (2m), IP69, IP69K

lifespan	L80B10 60,000h @ 25 ° C	
Ambient temperature	-20 + 45 ° C	
Storage & transport temperature	-25 + 70 ° C	
nominal voltage	AC 220 240 V	
Nominal frequency	50 Hz	

Housing material	Stainless steel V4A	
Glow wire resistance	650 ° C	
Protection class	II	
Protection class	IP68 (2m), IP69, IP69K	
Impact resistance	IK10	
Connection type	free end of line	
Color fidelity	SDCM 3	
Colour reproduction	>90	

#### **Dimensions**

# ogl4 lh3 350 927 l2 27052025



## **Further product features**



### **Equipment**

Order Code	Description	
OGL F2 350x125	Description	
OGL F2 515x125		
OGL F2 1000x125		
		_
OGL F2 350x165		
OGL F2 515x165		
OGL F2 1000x165		
		-
OGL ZM 01		

# ogl4 lh3 350 927 l2 27052025



OGL ZL 03



### **Additional Information**

www.instalighting.de